



R Squared
solutions

5628

Pull-Thru Delimber

The 5628 offers the highest capacity of any delimeter on the market. With 2 extra-large knife arms and a 50" saw bar, the 5628 will make easy work of the largest grapple fulls.

The 5628 pull-thru delimeter is the first to offer many industry leading innovations. The 5628 does not require an accumulator tank to close and hold the knives. Four hydraulic lines are all that is required to run down the trailer.



It is the first delimeter specifically built to operate with one of the industries leading equipment manufacturers.





R Squared
solutions

5628 Pull-Thru Delimber

- Brake Rolled Steel For Limited Weld Seams
- 5" Heavy Walled Tubing
- High Tensile, Hardened 2.5" Thick Knife Arms
- High Tensile, Hardened 1/2" Knife Blades
- Uni-body Main Housing Design



- Hardened steel pins at all pivot points.
- Bronze bushings are used thru out
- The 5628 delimber is the first to incorporate a bearing/cradle assembly that uses 3/4" grade 9 bolts that go all the way thru the bearing with lock-nuts.
- The entire cradle assembly is line-bored to ensure the tightest tolerances possible.





Features

- Cushioned Cylinders
- Automatic Piston Oiler
- Centralized Grease System
- 1" Diameter Locking Pin
- Heavy Duty Lower Roller with replaceable bushing
- 18" Assist Roller
- Cam Style Chain Tensioner



Specifications:

- Weight – 6000 lbs
- 50" Saw Bar
- ¾ Pitch Chain – 73 Links
- 9-Tooth Sprocket
- 4 Gallon Oil Reservoir

